
Custom Order ID	Contact Person Name
Owner's Manual Language	Coupon code
Additional Notes	



Base price: 3850Fr.	**Product: ARIA2_0**	**Revision: V25.R1**

Frame

Frame angle (OP54) radio

- ○ Angle 83° - Closed frame (FRM83) (STD)
- ○ Angle 93° - Open frame (FRM93)

Seat width (SW) range

From 340mm to 460mm in 20mm increments.

Seat depth (SD) range

From 380mm to 480mm in 20mm increments.

Seat to footrest with FRM83 (STF) range

From 120mm to 160mm in 20mm increments.

This range is the widest possible. The parameter may vary depending on the configuration selected on the online configurator

---

Camber Rear Wheels (CRW) radio

- ○ Camber 0 (CRW0) (STD)
- ○ Camber 1 (CRW1)
- ○ Camber 3 (CRW3)

Center of Gravity - Option B (CG) range

From 100mm to 150mm in 10mm increments.

This range is the widest possible. The parameter may vary depending on the configuration selected on the online configurator

---

Frame Color (OP6) radio

- ○ Graphite grey RAL 9004 (GG) (STD)
- ○ Black RAL 9005 (NR)
- 247Fr. ○ Light green RAL 6027 (VO)
- 247Fr. ○ Yellow RAL 1021 (GO)
- 247Fr. ○ White RAL 9003 (BO)
- 247Fr. ○ Green RAL 6018 (VR)
- 247Fr. ○ Light Blue RAL 5015 (LB)
- 247Fr. ○ Pink RAL 4010 (PU)
- 247Fr. ○ Orange RAL 2003 (OR)
- ○ Olive green RAL 6003 (OG)
- 247Fr. ○ Night Blue RAL 5026 (NB)
- 247Fr. ○ Pigeon Blue RAL 5014 (PB)
- 247Fr. ○ Pure Red RAL 3028 (PR)
- 422Fr. ○ Custom RAL (CC)

Frame (OP1) radio

- ○ Standard frame (STDF) (STD)
- 211Fr. ○ Lowered frame (LWDF)

Rear wheels axle - Option A (OP52) radio

- ○ Black matte painted aluminium (X_AXALSTD201) (STD)
- 411Fr. ○ Black matte painted magnesium (X_AXMGSTD201)
- 1700Fr. ○ Carbon fiber with ASAT technology (X_AXCARBSTD201)

Seat options

Seat options (OP35) radio

- ○ Carbon fiber seat with tilting system (X_CARBTS) (STD)

Option with transversal cuts for more flexibility (OP2) checkbox

- 130Fr. ☐ optional

Seat height rear - Option A (SHR) range

From 390mm to 430mm in 10mm increments.

This range is the widest possible. The parameter may vary depending on the configuration selected on the online configurator

---

Seat height front - Option A (SHF) range

From 480mm to 520mm in 10mm increments.

This range is the widest possible. The parameter may vary depending on the configuration selected on the online configurator

---

Backrest

Backrest system (SS) radio

- ○ Folding backrest with angle adj with lock in closed position (X_BKRUF2)
- 201Fr. ○ Fixed backrest (X_BKRUR) (STD)

Backrest angle - Option B (BRA) range

From 87mm to 93mm in 3mm increments.

This range is the widest possible. The parameter may vary depending on the configuration selected on the online configurator

---

Backrest height (BRH) range

From 270mm to 405mm in 15mm increments.

Backrest type - Option A (OP17) radio

- ○ Aria back with tension adj. with Air Mesh Breathable Cover (X_BKRTT3) (STD)
- 685Fr. ○ Aria BKRTA with aluminium backshell - Width 335mm Height 220mm (AT1A)
- 685Fr. ○ FitBack Halo with aluminium backshell - Width 335mm Height 220mm (H1A)
- 850Fr. ○ FitBack Aero with carbon backshell - Width 335mm Height 220mm (A1)
- 925Fr. ○ FitBack Flexy with carbon backshell - Width 335mm Height 220mm (F1)

Backrest attachment - Option A (OP22) radio

- ○ Lateral clamps for FitBack backs (X_CLALA) (STD)
- 247Fr. ○ Lateral supports adj. in angle and with quick release. Fits tube Diam. 25mm (X_CLAQR)

Footrest

Footrest (OP3) radio

- ○ Flexion-extension adj. footrest (X_FOOTA2) (STD)
- 294Fr. ○ Carbon fibre footplate adj. in flexion-extension and depth (X_FOOTA3)
- 294Fr. ○ Lightweight tubular (X_FOOTFX)
- 317Fr. ○ Carbon fibre footplate Flip-Back adj. in flexion-extension and depth (X_FOOTFB)

Carbon fiber cover added on FOOTFX - Option A (X_CFFC1) checkbox

- 165Fr. ☐ optional

Carbon fiber cover added on FOOTFX - Option B (X_CFFC2) checkbox

- 165Fr. ☐ optional

Carbon fiber cover added on FOOTFX - Option C (X_CFFC3) checkbox

165Fr. ☐ optional

Carbon fiber cover added on FOOTFX - Option D (X_CFFC4) checkbox

165Fr. ☐ optional

Knee to heel length - Option B (KHL) range

From 300mm to 420mm in 10mm increments.

This range is the widest possible. The parameter may vary depending on the configuration selected on the online configurator

---

Brakes

Brakes support (OP5) radio

○ Aluminium standard clamp (X_BRKASL2) (STD)

Brakes - Option A (OP4) radio

○ Push-to-lock brakes (X_BRKOPL+R) (STD)

47Fr. ○ Scissor lock brakes (X_BRKOSL+R)

235Fr. ○ Eagle aluminium scissor lock brakes Aria® (X_BRKAEL+R)

Rear wheels

Dimension (OP7) radio

○ 24 inches (24) (STD)

○ 25 inches (25)

Rear wheels type 24 (OP8) radio

○ Black Wheel Aria® with black hub and black spokes (X_RWHAG) (STD)

1008Fr. ○ Spinergy® Lite Extreme LX with black hub (X_RWHAL)

1079Fr. ○ Spinergy® Lite Extreme XLX X-Laced with black hub (X_RWHXL)

2872Fr. ○ Corima® Allure Carbon Fit (X_RWHCO)

Spokes color 24 - Option B (OPLX24) radio

○ Black spokes (LNE) (STD)

141Fr. ○ White spokes (LBI)

141Fr. ○ Blue spokes (LBL)

141Fr. ○ Green spokes (LVE)

141Fr. ○ Orange spokes (LAR)

224Fr. ○ Spinergy Design Lab (DSL)

Spokes color 24 - Option A (OPXLX24) radio

- Black spokes (LNE) (STD)
- 141Fr. White spokes (LBI)
- 141Fr. Blue spokes (LBL)
- 141Fr. Green spokes (LVE)
- 141Fr. Orange spokes (LAR)
- 224Fr. Spinergy Design Lab (DSL)

Spokes color 25 - Option B (OPLX25) radio

- Black spokes (LNE) (STD)
- 224Fr. Spinergy Design Lab (DSL)

Spokes color 25 - Option A (OPXLX25) radio

- Black spokes (LNE) (STD)
- 224Fr. Spinergy Design Lab (DSL)

Spinergy Design Lab (DSLC) text

Handrim 24 inches (OP10) radio

- Natural silver aluminium (X_HDRMS) (STD)
- 60Fr. Black painted aluminium (X_HDRMB)
- 716Fr. Titanium (X_HDRMTI)
- 540Fr. Carbo Life Quadro (X_HDRCFQ)
- 399Fr. Carbo Life Curve (X_HDRCFCS)
- 399Fr. Carbo Life Curve L (X_HDRCFC)
- 563Fr. Carbo Life Curve Tetra-Grip (X_HDRCFCTG)
- 563Fr. Carbo Life Curve L Tetra-Grip (X_HDRCFCT)
- 540Fr. Carbo Life Gekko S (X_HDRCFGS)
- 540Fr. Carbo Life Gekko (X_HDRCFG)

The parameter may vary depending on the configuration that will be made on the online configurator

---

Handrim position (HDM) radio

- Close mounted (CLM) (STD)
- Large mounted (LGM)

Tyre 24×1.00 (OP12) radio

- Schwalbe Right Run (X_WTSWR) (STD)
- 130Fr. Anti-puncture polyurethane (X_WTSHX)
- 141Fr. Schwalbe Marathon Plus Evolution (X_WTSWM)
- 200Fr. Schwalbe One (X_WTSWO)

The parameter may vary depending on the configuration that will be made on the online configurator

---

Additional Fat Wheels KIT (X_KITFT) checkbox

- [ ] 821Fr. optional

Front casters

Forks - Option A (OP14) radio

- ○ Aria® Aluminium Double-Sided (X_FRKDS2) (STD)
- 247Fr. ○ Aria® Aluminium Single-Sided (X_FRKMNA)
- 329Fr. ○ Aria® Carbon Single-Sided (X_FRKFC)
- 563Fr. ○ Smooth® Shock absorbing forks with aluminium casters included (X_SMTH4_V25.R0)

Stainless steel bearings (X_KITIN) checkbox

- 118Fr. ☐ optional

Front casters - Option A (OP15) radio

- ○ 3 inches Black ABS (X_FRWHP3) (STD)
- ○ 4 inches Black ABS (X_FRWHP4)
- ○ 5 inches Black ABS (X_FRWHP5)
- 130Fr. ○ 3 inches Black aluminium (X_FRWH3)
- 130Fr. ○ 4 inches Black aluminium (X_FRWH4)
- 130Fr. ○ 5 inches Black aluminium (X_FRWH5)
- 224Fr. ○ 4 inches Led lights integrated (X_FRWH4V)

Side guards

Side guards / Armrests - Option A (OP16) radio

- ○ Black ABS Fendered (X_SDAL1) (STD)
- 317Fr. ○ Flat side guards in carbon fiber (X_CARB2)
- 376Fr. ○ Fendered side guards in carbon fiber (X_CARB20)
- 411Fr. ○ Armrests with black PU insert complete of flat carbon fiber side guards (X_ARMRT)

Removable option (X_SDGPO) checkbox

- 200Fr. ☐ optional

Swing Away armrests (X_ARMRTE) checkbox

- 464Fr. ☐ optional

Cushions

Seat cushion (SC) radio

- ○ None (NONE) (STD)
- 200Fr. ○ Cushion made of foam with breathable textile (X_IMBOTT7)
- 658Fr. ○ Postural seat Pro Medicare Inserto Modo (CSHN1)

Accessories

Push handles - Option A (OP19) radio

- ◯ None (NONE) (STD)
- 211Fr. ◯ Adj. push handle bar (X_PHY)
- 188Fr. ◯ Height adj. push handles (X_PHY1)
- 153Fr. ◯ Foldable push handles (X_PHY7)

Push handles PHY1 Length (LMS) radio

- ◯ Standard cutted (STC) (STD)
- 36Fr. ◯ Short cutted (SHC)

Attachment for Smart Drive (SMDC) checkbox

- 200Fr. ☐ optional

Standard Anti tipper (ATPR) with casters - Left mounted (X_ATPR-R) checkbox

- 153Fr. ☐ optional

Standard Anti tipper (ATPR) with casters - right mounted (X_ATPR-L) checkbox

- 153Fr. ☐ optional

Closable Anti tipper - Left mounted (X_ATPRS1-L) checkbox

- 224Fr. ☐ optional

Closable Anti tipper - Right mounted (X_ATPRS1-R) checkbox

- 224Fr. ☐ optional

Under seat bag / Handle (OP20) radio

- ◯ None (NONE) (STD)
- 107Fr. ◯ Under seat bag (USBG)
- 89Fr. ◯ Under seat grab handle (MSSU)

Calf band (OP21) radio

- ◯ None (NONE) (STD)
- 18Fr. ◯ Height 8cm in black textile (CLFB8)
- 100Fr. ◯ Height 6cm in black eco-leather (CLFB6L)

Scratch protection (FRMP) checkbox

- 158Fr. ☐ optional

Backpack cordura and textile (BKPY) checkbox

- 153Fr. ☐ optional

Carbon plate for transfers (TPLC) checkbox

- 294Fr. ☐ optional

Phoenix Instinct Luggage - Full set (PIFS) checkbox

- 1124Fr. ☐ optional

Phoenix Instinct Luggage - Large set (PILS) checkbox

- 1054Fr. ☐ optional

Phoenix Instinct Luggage - Trolley set (PITS) checkbox

`972Fr.` ☐ optional

Portable Key Kit (VAR27) checkbox

`197Fr.` ☐ optional

This document only represents possible configurations. Please note that any quotation request must be made through the online configurator.

ARIA WHEELS SRL

Registered Office_Via della Divisione Torino, 92 00143 Roma - Italy
Production Dept._Via A.Volta, 7/B 36030 Costabissara (VI) - Italy
VAT IT 12848301003 | tel.+39 0444701414
www.ariawheels.com | info@ariawheels.com

Scan to configure