
Custom Order ID	Contact Person Name
Owner's Manual Language	Coupon code
Additional Notes	

Speciale



Base price: 5250Fr.	Product: ARIASPE	Revision: V26.R0

Frame

Frame (OP52) radio

294Fr. ○ Mono tube frame (MTUBE) (STD)

○ Double tube frame (DTUBE)

Seat width (SW) range

From 340mm to 440mm in 20mm increments.

Seat depth (SD) range
From 360mm to 460mm in 20mm increments.

Seat to footrest (STF) range
From 120mm to 140mm in 20mm increments.

Camber Rear Wheels (CRW) radio

- ○ Camber 0 (CRW0) (STD)
- ○ Camber 1 (CRW1)
- ○ Camber 3 (CRW3)

Centre of Gravity - Option A (CG) range
From 90mm to 150mm in 20mm increments.
This range is the widest possible. The parameter may vary depending on the configuration selected on the online configurator

---

Frame Color (OP6) radio

- ○ Graphite grey RAL 9004 (GG) (STD)
- ○ Black RAL 9005 (NR)
- 247Fr. ○ Light green RAL 6027 (VO)
- 247Fr. ○ Yellow RAL 1021 (GO)
- 247Fr. ○ White RAL 9003 (BO)
- 247Fr. ○ Green RAL 6018 (VR)
- 247Fr. ○ Light Blue RAL 5015 (LB)
- 247Fr. ○ Pink RAL 4010 (PU)
- 247Fr. ○ Orange RAL 2003 (OR)
- ○ Olive green RAL 6003 (OG)
- 247Fr. ○ Night Blue RAL 5026 (NB)
- 247Fr. ○ Pigeon Blue RAL 5014 (PB)
- 247Fr. ○ Pure Red RAL 3028 (PR)
- 422Fr. ○ Custom RAL (CC)

Seat options

Seat options (OP1) radio

- ○ Nylon upholstery seat (X_CARBTT1) (STD)
- 282Fr. ○ Nylon upholstery tensionable seat with tilting system (X_CARBTA)
- 505Fr. ○ Carbon fiber seat fixed on the frame (X_CARBFS1)
- 586Fr. ○ Carbon fiber seat with tilting system (X_CARBTS1)

Seat with more flexibility (OP2) checkbox

- 317Fr. ☐ optional

Seat height rear - Option C (SHR) range
From 410mm to 450mm in 10mm increments.
This range is the widest possible. The parameter may vary depending on the configuration selected on the online configurator

---

Seat height front - Option C (SHF) range
From 480mm to 520mm in 10mm increments.
This range is the widest possible. The parameter may vary depending on the configuration selected on the online configurator

---

Backrest

Backrest system (SS) radio

- Folding backrest with angle adj with lock in closed position (X_BKRUF2) (STD)
- 201Fr. Fixed backrest (X_BKRUR)

Backrest angle - Option B (BRA) range

From 87mm to 93mm in 3mm increments.

This range is the widest possible. The parameter may vary depending on the configuration selected on the online configurator

---

Backrest height (BRH) range

From 270mm to 405mm in 15mm increments.

Backrest type - Option A (OP17) radio

- Aria back with tension adj. with Air Mesh Breathable Cover (X_BKRTT4) (STD)
- 685Fr. Aria BKRTA with aluminium backshell - Width 335mm Height 220mm (AT1A)
- 850Fr. FitBack Aero with carbon backshell - Width 335mm Height 220mm (A1)
- 925Fr. FitBack Flexy with carbon backshell - Width 335mm Height 220mm (F1)

Backrest attachment - Option A (OP22) radio

- Lateral clamps for FitBack backs (X_CLALA) (STD)
- 247Fr. Lateral supports adj. in angle and with quick release. Fits tube Diam. 25mm (X_CLAQR)

Footrest

Footrest (OP3) radio

- Lightweight tubular (X_FOOTFU) (STD)
- 294Fr. Carbon fibre footplate adj. in flexion-extension and depth (X_FOOTA3)
- 317Fr. Carbon fibre footplate Flip-Back adj. in flexion-extension and depth (X_FOOTFB)

Carbon fiber cover added on FOOTFU - Option A (X_CFFC1) checkbox

- 165Fr. ☐ optional

Carbon fiber cover added on FOOTFU - Option B (X_CFFC2) checkbox

- 165Fr. ☐ optional

Carbon fiber cover added on FOOTFU - Option C (X_CFFC3) checkbox

- 165Fr. ☐ optional

Carbon fiber cover added on FOOTFU - Option D (X_CFFC4) checkbox

- 165Fr. ☐ optional

Knee to heel length - Option C (KHL) range

From 310mm to 420mm in 10mm increments.

This range is the widest possible. The parameter may vary depending on the configuration selected on the online configurator

---

Brakes

Brakes support (OP5) radio

- ○ Aluminium standard clamp (X_BRKASL2) (STD)

Brakes - Option A (OP4) radio

- ○ Push-to-lock brakes (X_BRKOPL+R) (STD)
- 47Fr. ○ Scissor lock brakes (X_BRKOSL+R)
- 94Fr. ○ Scissor lock brakes Aria® (X_BRKASL+R)
- 235Fr. ○ Eagle aluminium scissor lock brakes Aria® (X_BRKAEL+R)

Rear wheels

Rear wheels size (OP7) radio

- ○ 24 inches (24) (STD)
- ○ 25 inches (25)

Rear wheels type 24 (OP8) radio

- ○ Black Wheel Aria® with black hub and black spokes (X_RWHAG) (STD)
- 469Fr. ○ Lightweight Aria® wheel with black hub and black spokes (X_RWHAP)
- 1008Fr. ○ Spinergy® Lite Extreme LX with black hub (X_RWHAL)
- 1079Fr. ○ Spinergy® Lite Extreme XLX X-Laced with black hub (X_RWHXL)
- 2872Fr. ○ Corima® Allure Carbon Fit (X_RWHCO)

Spokes color 24 - Option B (OPLX24) radio

- ○ Black spokes (LNE) (STD)
- 141Fr. ○ White spokes (LBI)
- 141Fr. ○ Blue spokes (LBL)
- 141Fr. ○ Green spokes (LVE)
- 141Fr. ○ Orange spokes (LAR)
- 224Fr. ○ Spinergy Design Lab (DSL)

Spokes color 24 - Option A (OPXLX24) radio

- ○ Black spokes (LNE) (STD)
- 141Fr. ○ White spokes (LBI)
- 141Fr. ○ Blue spokes (LBL)
- 141Fr. ○ Green spokes (LVE)
- 141Fr. ○ Orange spokes (LAR)
- 224Fr. ○ Spinergy Design Lab (DSL)

Spokes color 25 - Option B (OPLX25) radio

- ○ Black spokes (LNE) (STD)
- 224Fr. ○ Spinergy Design Lab (DSL)

Spokes color 25 - Option A (OPXLX25) radio

- ○ Black spokes (LNE) (STD)
- 224Fr. ○ Spinergy Design Lab (DSL)

Spinergy Design Lab (XYZ) text

Handrim 24 inches (OP10) radio

- ◯ Natural silver aluminium (X_HDRMS) (STD)
- 60Fr. ◯ Black painted aluminium (X_HDRMB)
- 224Fr. ◯ Tetra grip coated aluminium (X_HDRMT)
- 716Fr. ◯ Titanium (X_HDRMTI)
- 540Fr. ◯ Carbo Life Quadro (X_HDRCFQ)
- 399Fr. ◯ Carbo Life Curve (X_HDRCFCS)
- 399Fr. ◯ Carbo Life Curve L (X_HDRCFC)
- 563Fr. ◯ Carbo Life Curve Tetra-Grip (X_HDRCFCTG)
- 563Fr. ◯ Carbo Life Curve L Tetra-Grip (X_HDRCFCT)
- 540Fr. ◯ Carbo Life Gekko S (X_HDRCFGS)
- 540Fr. ◯ Carbo Life Gekko (X_HDRCFG)

The parameter may vary depending on the configuration that will be made on the online configurator

---

Handrim position (HDM) radio

- ◯ Close mounted (CLM) (STD)
- ◯ Large mounted (LGM)

Tyre 24×1.00 (OP12) radio

- ◯ Schwalbe Right Run (X_WTSWR) (STD)
- 130Fr. ◯ Anti-puncture polyurethane (X_WTSHX)
- 141Fr. ◯ Schwalbe Marathon Plus Evolution (X_WTSWM)
- 200Fr. ◯ Schwalbe One (X_WTSWO)

The parameter may vary depending on the configuration that will be made on the online configurator

---

Additional Fat Wheels KIT (X_KITFT) checkbox

- 821Fr. ☐ optional

Front casters

Forks - Option A (OP14) radio

- ◯ Aria® Aluminium Double-Sided (X_FRKDS2) (STD)
- 247Fr. ◯ Aria® Aluminium Single-Sided (X_FRKMNA)
- 329Fr. ◯ Aria® Carbon Single-Sided (X_FRKFC)
- 563Fr. ◯ Smooth® Shock absorbing forks with aluminium casters included (X_SMTH4_V25.R0)

Stainless steel bearings (X_KITIN) checkbox

- 118Fr. ☐ optional

Front casters (OP15) radio

- ◯ 3 inches Black ABS (X_FRWHP3)
- ◯ 4 inches Black ABS (X_FRWHP4) (STD)
- 130Fr. ◯ 3 inches Black anodized aluminium caster (X_FRWH3)
- 130Fr. ◯ 4 inches Black anodized aluminium caster (X_FRWH4)

Side guards

Side guards supports (OP51) radio

- ○ Aluminium support (ALCMT72) (STD)
- 271Fr. ○ Carbon fiber support (X_CARB72)

Side guards (OP16) radio

- ○ Flat side guards in carbon fiber (X_CARB1)
- 376Fr. ○ Fendered side guards in carbon fiber (X_CARB18)

Removable Armrests (X_ARMRTF) checkbox

- 271Fr. ☐ optional

Swing Away armrests (X_ARMRTE) checkbox

- 464Fr. ☐ optional

Cushions

Seat cushion (SC) radio

- ○ None (NONE) (STD)
- 200Fr. ○ Cushion made of foam with breathable textile (X_IMBOTT7)
- 658Fr. ○ Postural seat Pro Medicare Inserto Modo (CSHN1)

Accessories

Push handles - Option A (OP19) radio

- ○ None (NONE) (STD)
- 211Fr. ○ Adj. push handle bar (X_PHY)
- 188Fr. ○ Height adj. push handles (X_PHY1)
- 153Fr. ○ Foldable push handles (X_PHY7)

Push handles PHY1 Length (LMS) radio

- ○ Standard cutted (STC) (STD)
- 36Fr. ○ Short cutted (SHC)

Attachment for Smart Drive (SMDC) checkbox

- 200Fr. ☐ optional

Closable Anti tipper - Left mounted (X_ATPRS1-L) checkbox

- 224Fr. ☐ optional

Closable Anti tipper - Right mounted (X_ATPRS1-R) checkbox

- 224Fr. ☐ optional

Under seat bag / Handle (OP20) radio

- None (NONE) (STD)
- 107Fr. Under seat bag (USBG)
- 89Fr. Under seat grab handle (MSSU)

Calf band (OP21) radio

- None (NONE) (STD)
- 18Fr. Height 8cm in black textile (CLFB8)
- 100Fr. Height 6cm in black eco-leather (CLFB6L)

Scratch protection (FRMP) checkbox

158Fr. optional

Backpack (BKPY) checkbox

153Fr. optional

Carbon plate for transfers (TPLC) checkbox

294Fr. optional

Phoenix Instinct Luggage - Full set (PIFS) checkbox

1124Fr. optional

Phoenix Instinct Luggage - Large set (PILS) checkbox

1054Fr. optional

Phoenix Instinct Luggage - Trolley set (PITS) checkbox

972Fr. optional

Portable Key Kit (VAR27) checkbox

197Fr. optional

Spoke protection (WLCSG) checkbox

177Fr. optional

This document only represents possible configurations. Please note that any quotation request must be made through the online configurator.

ARIA WHEELS SRL

Registered Office_Via della Divisione Torino, 92 00143 Roma - Italy
Production Dept._Via A.Volta, 7/B 36030 Costabissara (VI) - Italy
VAT IT 12848301003 | tel.+39 0444701414
www.ariawheels.com | info@ariawheels.com

Scan to configure