
Custom Order ID	Contact Person Name
Owner's Manual Language	Coupon code
Additional Notes	



Base price: 3050Fr.	Product: ARIAKID	Revision: V24.R1

Frame

Frame (OP59) radio

177Fr. ○ Straight frame (FRMDR) (STD)
○ Frame with abduction (FRMAB)

Seat width (SW) range

From 240mm to 320mm in 20mm increments.

Seat depth (SD) range
From 280mm to 360mm in 20mm increments.

Camber Rear Wheels (CRW) radio

- ○ Camber 0 (CRW0) (STD)
- ○ Camber 1 (CRW1)
- ○ Camber 3 (CRW3)

Centre of Gravity (CG) range
From 50mm to 90mm in 20mm increments.

Frame Color (OP6) radio

- ○ Graphite grey RAL 9004 (GG) (STD)
- ○ Black RAL 9005 (NR)
- 247Fr. ○ Light green RAL 6027 (VO)
- 247Fr. ○ Yellow RAL 1021 (GO)
- 247Fr. ○ White RAL 9003 (BO)
- 247Fr. ○ Green RAL 6018 (VR)
- 247Fr. ○ Light Blue RAL 5015 (LB)
- 247Fr. ○ Pink RAL 4010 (PU)
- 247Fr. ○ Orange RAL 2003 (OR)
- ○ Olive green RAL 6003 (OG)
- 247Fr. ○ Night Blue RAL 5026 (NB)
- 247Fr. ○ Pigeon Blue RAL 5014 (PB)
- 247Fr. ○ Pure Red RAL 3028 (PR)
- 422Fr. ○ Custom RAL (CC)

Rear wheels axle (OP52) radio

- ○ Black matte painted aluminium rear wheels axle (X_AXALKID) (STD)

Seat options

Seat options (OP35) radio

- ○ Carbon fiber seat with tilting system (X_CARBTK) (STD)

Seat height rear (SHR) range
From 320mm to 360mm in 10mm increments.

Seat height front (SHF) range
From 380mm to 420mm in 10mm increments.

Backrest

Backrest system (SS) radio

- ○ Folding backrest and adj. angle (X_BKRUK) (STD)

Backrest height (BRH) range
From 240mm to 375mm in 15mm increments.

Backrest angle (BRA) range
From 85mm to 95mm in 1mm increments.

Backrest type - Option A (OP18) radio

- ○ Aria back with tension adj. with Air Mesh Breathable Cover (X_BKRTT2) (STD)
- 685Fr. ○ FitBack Buddy with aluminium backshell - Width 225mm Height 220mm (B1)

Backrest attachment (OP22) radio

- ○ Lateral clamps for FitBack backs (X_CLALA) (STD)
- 118Fr. ○ Central clamp for FitBack backs (X_CLACE)

Footrest

Footrest (OP1) radio

- ○ Aluminium footplate for standard KHL adj. in flexion-extension and depth (X_FOOTK) (STD)
- 294Fr. ○ Aluminium footplate for reduced KHL adj. in flexion-extension and depth (X_FOOTKR)
- 317Fr. ○ Carbon fibre footplate Flip-Back adj. in flexion-extension and depth (X_FOOTFS)

Knee to heel length - Option B (KHL) range
From 90mm to 290mm in 10mm increments.
This range is the widest possible. The parameter may vary depending on the configuration selected on the online configurator

---

Brakes

Brakes support (OP5) radio

- ○ Aluminium standard clamp (X_BRKASL2) (STD)

Brakes (OP4) radio

- ○ Push-to-lock brakes (X_BRKOPL+R) (STD)
- 47Fr. ○ Scissor lock brakes (X_BRKOSL+R)
- 94Fr. ○ Scissor lock brakes Aria® (X_BRKASL+R)
- 235Fr. ○ Eagle aluminium scissor lock brakes Aria® (X_BRKAEL+R)

Rear wheels

Dimension (OP7) radio

- ○ 22 inches (22) (STD)

Type - Option A (OP8) radio

- Black Wheel Aria® with black hub and black spokes (X_RWHAG2) (STD)
- 1008Fr. Spinergy® Lite Extreme LX with black hub (X_RWHAL3)
- 646Fr. Black Wheel with integrated disc brake system complete of silver handrim and Speedlite tyre (X_RWHDL+R)

Type - Option B (OP81) radio

- Black Wheel Aria® with black hub and black spokes (X_RWHAG2) (STD)
- 1008Fr. Spinergy® Lite Extreme LX with black hub (X_RWHAL3)

Spokes color 22 - Option A (OPXLX22) radio

- Black spokes (LNE) (STD)
- 141Fr. White spokes (LBl)
- 141Fr. Blue spokes (LBL)
- 141Fr. Orange spokes (LVE)
- 141Fr. Green spokes (LAR)
- 224Fr. Spinergy Design Lab (DSL)

Spinergy Design Lab (DSLC) text

Handrim 22 inches (OP11) radio

- Natural silver aluminium (X_HDRMS2) (STD)
- 60Fr. Black painted aluminium (X_HDRMB2)

Handrim position (HDM) radio

- Close mounted (CLM) (STD)
- Large mounted (LGM)

Tyre 22×1.00 - Option A (OP12) radio

- Schwalbe Right Run (X_WTSWR2) (STD)
- 141Fr. Schwalbe Marathon Plus Evolution (X_WTSWM2)

Tyre 22×1.00 - Option B (OP31) radio

- 118Fr. Schwalbe Right Run - Black (X_WTSWR2S) (STD)

Front casters

Forks (OP14) radio

- Aria® Aluminium Double-Sided (X_FRKDS2) (STD)
- 247Fr. Aria® Aluminium Single-Sided (X_FRKMNA)
- 329Fr. Aria® Carbon Single-Sided (X_FRKFC)
- 563Fr. Smooth® Shock absorbing forks with aluminium casters included (X_SMTH4_V25.R0)

Stainless steel bearings (X_KITIN) checkbox

- 118Fr. optional

Front casters (OP15) radio

- ○ 3 inches Black ABS (X_FRWHP3) (STD)
- ○ 4 inches Black ABS (X_FRWHP4)
- 130Fr. ○ 3 inches Black anodized aluminium (X_FRWH3)
- 130Fr. ○ 4 inches Black aluminium (X_FRWH4)
- 224Fr. ○ 4 inches Led lights integrated (X_FRWH4V)

Side guards

Side guards / Armrests (OP16) radio

- ○ Black ABS Fendered (SDK) (STD)
- 317Fr. ○ Flat side guards in carbon fiber (X_CARB0)
- 364Fr. ○ Armrests with black PU insert complete of flat carbon fiber sideguards (X_ARMRTK)

Cushions

Seat cushion (SC) radio

- ○ None (NONE) (STD)
- 200Fr. ○ Cushion made of foam with breathable textile (X_IMBOTT7K)
- 639Fr. ○ Postural seat Pro Medicare Inserto Pratico (CSHN3)

Accessories

Push handles - Option A (OP19) radio

- ○ None (NONE) (STD)
- 188Fr. ○ Height adj. push handles (X_PHY1)
- 247Fr. ○ Black painted adj. push handle (X_PHK2)
- 153Fr. ○ Foldable push handles (X_PHY7)

Push handles PHY1 Length (LMS) radio

- ○ Standard cutted (STC) (STD)
- 36Fr. ○ Short cutted (SHC)

Closable Anti tipper - Left mounted (X_ATPRS1-L) checkbox

- 224Fr. ☐ optional

Closable Anti tipper - Right mounted (X_ATPRS1-R) checkbox

- 224Fr. ☐ optional

Under seat bag with velcro fabric (USBG) checkbox

- 107Fr. ☐ optional

Calf band (OP21) radio

- None (NONE) (STD)
- 18Fr. Height 8cm in black textile (CLFB8)
- 100Fr. Height 6cm in black eco-leather (CLFB6L)

Scratch protection (FRMP) checkbox

- 158Fr. optional

Backpack (BKPY) checkbox

- 153Fr. optional

Carbon plate for transfers (TPLC) checkbox

- 294Fr. optional

Portable Key Kit (VAR27) checkbox

- 197Fr. optional

Growth kit 1cm for KID product (X_GRWKID) checkbox

- 118Fr. optional

This document only represents possible configurations. Please note that any quotation request must be made through the online configurator.

ARIA WHEELS SRL

Registered Office_Via della Divisione Torino, 92 00143 Roma - Italy
Production Dept._Via A.Volta, 7/B 36030 Costabissara (VI) - Italy
VAT IT 12848301003 | tel.+39 0444701414
www.ariawheels.com | info@ariawheels.com

Scan to configure